

air-Q³
INTUBATING LARYNGEAL AIRWAY

AIR-Q³ SUPRAGLOTTIC AIRWAY



SunMed[®]

www.Sun-Med.com | 800-433-2797 | info@sun-med.com

AIR-Q®3 SUPRAGLOTTIC AIRWAY (SGA)

The advanced, silicone Air-Q®3 helps deliver safety and confidence in airway management, no matter what airway challenges you face. The unique ET tube ramp and epiglottis elevator aid in fast, easy, and safe intubations.



AIR-Q®3

Provides exceptional ease of ETT placement when unexpected intubation is required.



AIR-Q®3G

Features an extra wide gastric inlet that accommodates NG tubes up to 18 Fr and two gastric channels.



AIR-Q®SP3

Uses positive pressure ventilation to self-pressurize the cuff. Cuff pressures cycle between peak airway pressure and PEEP levels.




AIR-Q®SP3G

Uses positive pressure ventilation to self-pressurize the cuff. Cuff pressures cycle between peak airway pressure and PEEP levels. Features a self-pressurizing cuff with an extra wide gastric inlet that accommodate NG tubes up to 18 Fr and two gastric channels..

PERFECT PLACEMENT MADE EASY



AIR-Q®3 SUPRAGLOTTIC AIRWAY PROVIDES:

- Anatomically correct placement of the masked airway
- Lifting of the epiglottis to maximize access
- Guide ramp to assist with ETT insertion and placement



EPIGLOTTIS ELEVATOR

Our unique supraglottic airway includes an epiglottis elevator and raised heel to optimize airway placement and seal.





AIR-Q®3 SUPRAGLOTTIC AIRWAY WITH 15 MM CONNECTOR

| ITEM | DESCRIPTION | SIZE | IDEAL BODY WEIGHT | MAXIMUM OETT | MOUTH OPENING | LENGTH OF TUBE | MAXIMUM OG TUBE | INFLATION VOLUME |
|-------|-------------|------|-------------------|--------------|---------------|----------------|-----------------|------------------|
| 30005 | Air-Q3 | 0 | < 2.0 kg | 3.0 mm | 5 mm | 6.0 cm | — | 0 – 0.5 mL |
| 30055 | Air-Q3 | 0.5 | 2 – 4 kg | 4.0 mm | 8 mm | 7.0 cm | — | 0 – 0.5 mL |
| 30105 | Air-Q3 | 1.0 | 4 – 7 kg | 4.5 mm | 11.0 mm | 9.0 cm | — | 0.5 – 1.0 mL |
| 30155 | Air-Q3 | 1.5 | 7 – 17 kg | 5.0 mm | 14.0 mm | 11.0 cm | — | 1.0 mL |
| 30205 | Air-Q3 | 2 | 17 – 30 kg | 5.5 mm | 17.0 mm | 14.0 cm | — | 1.0 – 2.0 mL |
| 30305 | Air-Q3 | 3 | 30 – 60 kg | 7.0 mm | 20.0 mm | 16.0 cm | — | 2.0 – 3.0 mL |
| 30405 | Air-Q3 | 4 | 60 – 80 kg | 8.0 mm | 23.0 mm | 18.0 cm | — | 3.0 – 4.0 mL |
| 30505 | Air-Q3 | 5 | > 80 kg | 9.0 mm | 25.0 mm | 20.0 cm | — | 4.0 – 5.0 mL |
| 50005 | Air-Q3G | 0 | < 2.0 kg | 3.0 mm | 5 mm | 6.0 cm | 6 Fr | 0 – 0.5 mL |
| 50055 | Air-Q3G | 0.5 | 2 – 4 kg | 4.0 mm | 8 mm | 7.0 cm | 6 Fr | 0 – 0.5 mL |
| 50105 | Air-Q3G | 1.0 | 4 – 7 kg | 4.5 mm | 11.0 mm | 9.0 cm | 8 Fr | 0.5 – 1.0 mL |
| 50155 | Air-Q3G | 1.5 | 7 – 17 kg | 5.0 mm | 14.0 mm | 11.0 cm | 10 Fr | 1.0 mL |
| 50205 | Air-Q3G | 2 | 17 – 30 kg | 5.5 mm | 17.0 mm | 14.0 cm | 12 Fr | 1.0 – 2.0 mL |
| 50305 | Air-Q3G | 3 | 30 – 60 kg | 7.0 mm | 20.0 mm | 16.0 cm | 16 Fr | 2.0 – 3.0 mL |
| 50405 | Air-Q3G | 4 | 60 – 80 kg | 8.0 mm | 23.0 mm | 18.0 cm | 18 Fr | 3.0 – 4.0 mL |
| 50505 | Air-Q3G | 5 | > 80 kg | 9.0 mm | 25.0 mm | 20.0 cm | 18 Fr | 4.0 – 5.0 mL |
| 40005 | Air-Qsp3 | 0 | < 2.0 kg | 3.0 mm | 5 mm | 6.0 cm | — | — |
| 40055 | Air-Qsp3 | 0.5 | 2 – 4 kg | 4.0 mm | 8 mm | 7.0 cm | — | — |
| 40105 | Air-Qsp3 | 1.0 | 4 – 7 kg | 4.5 mm | 11.0 mm | 9.0 cm | — | — |
| 40155 | Air-Qsp3 | 1.5 | 7 – 17 kg | 5.0 mm | 14.0 mm | 11.0 cm | — | — |
| 40205 | Air-Qsp3 | 2 | 17 – 30 kg | 5.5 mm | 17.0 mm | 14.0 cm | — | — |
| 40305 | Air-Qsp3 | 3 | 30 – 60 kg | 7.0 mm | 20.0 mm | 16.0 cm | — | — |
| 40405 | Air-Qsp3 | 4 | 60 – 80 kg | 8.0 mm | 23.0 mm | 18.0 cm | — | — |
| 40505 | Air-Qsp3 | 5 | > 80 kg | 9.0 mm | 25.0 mm | 20.0 cm | — | — |
| 60005 | Air-Qsp3G | 0 | < 2.0 kg | 3.0 mm | 5 mm | 6.0 cm | 6 Fr | — |
| 60055 | Air-Qsp3G | 0.5 | 2 – 4 kg | 4.0 mm | 8 mm | 7.0 cm | 6 Fr | — |
| 60105 | Air-Qsp3G | 1.0 | 4 – 7 kg | 4.5 mm | 11.0 mm | 9.0 cm | 8 Fr | — |
| 60155 | Air-Qsp3G | 1.5 | 7 – 17 kg | 5.0 mm | 14.0 mm | 11.0 cm | 10 Fr | — |
| 60205 | Air-Qsp3G | 2 | 17 – 30 kg | 5.5 mm | 17.0 mm | 14.0 cm | 12 Fr | — |
| 60305 | Air-Qsp3G | 3 | 30 – 60 kg | 7.0 mm | 20.0 mm | 16.0 cm | 16 Fr | — |
| 60405 | Air-Qsp3G | 4 | 60 – 80 kg | 8.0 mm | 23.0 mm | 18.0 cm | 18 Fr | — |
| 60505 | Air-Qsp3G | 5 | > 80 kg | 9.0 mm | 25.0 mm | 20.0 cm | 18 fr | — |