

SAFETY DATA SHEET

Alcare Plus® Foamed Antiseptic Handrub

This product is regulated by the FDA, therefore, the requirements for product labeling do not fall under the jurisdiction of the OSHA Hazard Communication Standard according to 29 CFR 1910.1200.

1. Identification	
Product identifier	
Product name	Alcare Plus® Foamed Antiseptic Handrub
Product number	639936, 639957, 639990, 6399P2
Recommended use of the chemical and restrictions on use	
Application	Hand sanitizer For hospital and professional use only.
Details of the supplier of the s	afety data sheet
Supplier	SC Johnson Professional USA, Inc. 2815 Coliseum Centre Dr., Suite 600 Charlotte, NC 28217 Tel: 1-800-248-7190 (Industrial/Institutional); 1-866-783-0422 (Healthcare) cs.proUS@scj.com (Industrial/Institutional); cs.healthcareUS@scj.com (Healthcare)
Emergency telephone numbe	<u>r</u>
Emergency telephone	(800) 424-9300 CHEMTREC (North America)
2. Hazard(s) identification	
Classification of the substance	e or mixture
OSHA Regulatory Status	This product is regulated by the FDA, therefore, the requirements for product labeling do not fall under the jurisdiction of the OSHA Hazard Communication Standard according to 29 CFR 1910.1200.
Physical hazards	Flam. Aerosol 2 - H223 Press. Gas, Compressed - H280
Health hazards	Eye Irrit. 2A - H319
Environmental hazards	Not Classified
Label elements	
Hazard symbols	
Signal word	Warning
Hazard statements	H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.

Precautionary statements	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P251 Pressurized container: Do not pierce or burn, even after use P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use alcohol resistant foam, carbon dioxide or dry powder to extinguish.
	P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. P501 Dispose of contents/ container in accordance with local regulations.

Other hazards

None.

3. Composition/information on ingredients

Mixtures

ETHANOL	40-70%
CAS number: 64-17-5	
Classification Flam. Liq. 2 - H225 Eye Irrit. 2A - H319	
ISOBUTANE CAS number: 75-28-5	1-10%
Classification Flam. Gas 1 - H220 Press. Gas, Liquefied - H280 Simple Asphyxiant - USH03	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/ doctor if you feel unwell.	
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin Contact	Skin irritation should not occur when used as recommended. Get medical attention if irritation persists after washing.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Important! Immediately rinse with water for at least 15 minutes. Get medical attention if any discomfort continues.	
Most important symptoms and effects, both acute and delayed		
Inhalation	May cause respiratory system irritation.	
Ingestion	Harmful if swallowed.	
Skin contact	Not applicable.	
Eye contact	Irritation of eyes and mucous membranes.	
Indication of immediate medical attention and special treatment needed		

Notes for the doctor	No specific recommendations.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	ne substance or mixture
Flammability Class	6.0 Flammable Gas Liq/Gasous.
Specific hazards	May form explosive mixture with air at very high concentration.
Hazardous combustion products	During fire, toxic gases (CO, CO2) are formed.
Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents. Use protective equipment appropriate for surrounding materials.
6. Accidental release measure	S
Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Take precautionary measures against static discharges.
For non-emergency personnel	Wear protective clothing. Wear protective gloves. Evacuate area.
For emergency responders	Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents. Evacuate area.
Environmental precautions	
Environmental precautions	Not considered to be a significant hazard due to the small quantities used. Avoid the spillage or runoff entering drains, sewers or watercourses.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Do not discharge into drains or watercourses or onto the ground. Avoid contamination of ponds or watercourses with washing down water. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Use only non-sparking tools.
Reference to other sections	For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Avoid contact with eyes.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store at room temperature.
Storage class	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Specific end uses(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): OSHA 1000 ppm 1900 mg/m³

ISOBUTANE

Short-term exposure limit (15-minute): ACGIH 1000 ppm 2370 mg/m³ OSHA = Occupational Safety and Health Administration. ACGIH = American Conference of Governmental Industrial Hygienists.

Exposure controls

Protective equipment



Appropriate engineering controls	Provide eyewash station and safety shower.
Personal protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.
Eye/face protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. Personal protective equipment for eye and face protection should comply with OSHA 1910.133.
Hand protection	Hand protection not required.
Respiratory protection	Not relevant.

9. Physical and chemical properties

Information on basic physical and chemical properties

	<u> </u>
Appearance	Aerosol.
Color	White.
Odor	Slight alcoholic.
Odor threshold	Not determined.
рН	No information available.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	No information available.
Evaporation rate	Not determined.
Evaporation factor	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	Not determined.

Vapor density	Not determined.
Relative density	No information available.
Solubility(ies)	Soluble in water.
Partition coefficient	Data lacking.
Auto-ignition temperature	Scientifically unjustified.
Decomposition Temperature	Not determined.
Viscosity	No information available.
Explosive properties	Scientifically unjustified.
Oxidizing properties	Does not meet the criteria for classification as oxidizing.
Other information	No information required.
10. Stability and reactivity	
Reactivity	The following materials may react violently with the product: Strong oxidizing agents.
Stability	Stable at normal ambient temperatures. Highly flammable liquid and vapour. In use may form flammable/explosive vapor-air mixture.
Possibility of hazardous reactions	None known.
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Stable at normal ambient temperatures.
Materials to avoid	Avoid contact with the following materials: Reducing agents. Strong acids. Strong alkalis. Strong oxidizing agents.
Hazardous decomposition products	Oxides of carbon.
11. Toxicological information	
Information on toxicological eff	fects
Respiratory Sensitisation	Based on available data the classification criteria are not met.
Eye Irritation/Damage	May cause temporary eye irritation
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.

Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity		
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	No information available.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	No information available.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
Inhalation	No specific health hazards known.	
Ingestion	May cause discomfort if swallowed.	
Skin Contact	Skin irritation should not occur when used as recommended.	
	Irritating to eyes.	
Eye contact	Irritating to eyes.	
Eye contact 12. Ecological information	Irritating to eyes.	
-	Irritating to eyes. Not regarded as dangerous for the environment.	
12. Ecological information Ecotoxicity	Not regarded as dangerous for the environment.	
12. Ecological information		
12. Ecological information Ecotoxicity	Not regarded as dangerous for the environment.	
12. Ecological information Ecotoxicity Toxicity	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation. Data lacking.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil Mobility	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation. Data lacking.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil Mobility Other adverse effects	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation. Data lacking. The product is soluble in water.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil Mobility Other adverse effects Other adverse effects	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation. Data lacking. The product is soluble in water.	
12. Ecological information Ecotoxicity Toxicity Persistence and degradability Persistence and degradability Bioaccumulative potential Bio-Accumulative Potential Partition coefficient Mobility in soil Mobility Other adverse effects Other adverse effects 13. Disposal considerations	Not regarded as dangerous for the environment. The product is not expected to be hazardous to the environment. No data available. No data available on bioaccumulation. Data lacking. The product is soluble in water.	

Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. No specific disposal method required. Reuse or recycle products wherever possible.
14. Transport information	
UN Number	
UN No. (TDG)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN proper shipping name	
Proper shipping name (TDG)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Transport hazard class(es)	
TDG class	2.1
TDG label(s)	2.1
IMDG Class	2.1
ICAO class/division	2.1
Transport labels	
Packing group	
TDG Packing Group	None
IMDG packing group	None
ICAO packing group	None
Environmental hazards	
Environmentally Hazardous Su No.	ubstance
Special precautions for user	
EmS	F-D, S-U
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
15. Regulatory information	
Regulatory Status	This product is manufactured and labeled in compliance with the Federal Food, Drug, and Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard

Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard Communication Standard. All components of this product are either on the TSCA 8(b) inventory or otherwise exempt from listing. 4

Alcare	Plus [®] Foamed	Antiseptic Handrub
--------	--------------------------	--------------------

16. Other information	
General information	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
Revision comments	Company name change
Revision date	12/6/2019
Revision	8
Supersedes date	12/3/2019
SDS No.	21529
Hazard statements in full	H220 Extremely flammable gas. H223 Flammable aerosol. H225 Highly flammable liquid and vapor. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. USH03 May displace oxygen and cause rapid suffocation
NFPA - health hazard	Irritation, minor residual injury. (1)
NFPA - flammability hazard	Extremely flammable. (4)
NFPA - instability hazard	Normally stable. (0)
Notes For Risk Phrases And Hazard Statements In Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.