Product and Company Identification

Product identifier	NAIC 88494-1 (Wipe)
Other means of identification	microdot [®] Minute Wipe
Recommended use	Disinfectant
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	Cambridge Sensors USA, LLC
Address	10051 Bode Road
	Plainfield, IL 60585
	United States
Telephone	1.877.374.4062
E-mail	info@microdotcs.com

Emergency phone number 1.877.374.4062

Section II - Hazards Identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Highly flammable liquid and vapor. Causes se respiratory irritation. May cause drowsiness or	rious eye irritation. Harmful if inhaled. May cause r dizziness.
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot closed. Ground/bond container and receiving electrical/ventilating/lighting equipment. Use o measures against static discharge. Avoid breat handling. Use only outdoors or in a well-ventil- protection/face protection.	nly non-sparking tools. Take precautionary athing mist or vapor. Wash thoroughly after
Response	contaminated clothing. Rinse skin with water/s several minutes. Remove contact lenses, if pr	n. If inhaled: Remove person to fresh air and keep
Storage	Store in a well-ventilated place. Keep contained	er tightly closed. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance v	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information		mat, the product does not meet the OSHA HCS x B to 1910.1200 - Physical Hazard Criteria, section
	This is a registered EPA product. The product guidelines.	labeling is in compliance with EPA regulations and

• •

microdot® Minute Wipe

Section III - Composition/Information on Ingredients

Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	60-80
Composition comments	US GHS: The exact percentage (concentration) secret in accordance with paragraph (i) of §1910	•	vithheld as a trac

Section IV - First Aid Measures

Inhalation	If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
Skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children.

Section V- Fire Fighting Measures

Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Solid containing flammable liquid

Section VI- Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Remove all possible sources of ignition in the surrounding area. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapor. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Pick up and discard towelette.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

Section VII - Handling and Storage

Precautions for safe handling	Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Avoid breathing vapor. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. Keep container tightly closed. When using do not eat or drink.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Avoid spark promoters. Eliminate sources of ignition. Store in a closed container away from incompatible materials. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

Section VIII - Exposure Controls/Personal Protection

Occupational exposure limits			
US. OSHA Table Z-1 Limit	s for Air Contaminants (29 CFR 1910.10	•	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Lim	iit Values		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
Biological limit values	No biological exposure limits noted fo	r the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measure	s, such as personal protective equipme	ent	
Eye/face protection	Wear safety glasses with side shields	L.	
Skin protection			
Hand protection	Rubber gloves. Confirm with a reputa	able supplier first.	
Other	Wear suitable protective clothing. Wea employer code.	ar appropriate chemical resistant clothing. As required by	
Respiratory protection	Where exposure guideline levels may	be exceeded, use an approved NIOSH respirator.	
Thermal hazards	Not applicable.		
General hygiene considerations		oserve good personal hygiene measures, such as washing e eating, drinking, and/or smoking. Routinely wash work remove contaminants.	

microdot[®] Minute Wipe

Section IX - Physical and Chemical Properties

Appearance	Clear Liquid saturated on wipe
Physical state	Liquid.
Form	Liquid saturated on wipe
Color	Colorless
Odor	Alcohol
Odor threshold	Not available.
рН	3.7 @ 77°F (liquid)
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient	Not available.
(n-octanol/water)	
Flash point	65.3 °F (18.5 °C) Tag Closed Cup (liquid)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	3.23 cSt @ 68°F (liquid)
Other information	
Density	0.86 (liquid)

Section X - Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

Section XI - Toxicological Information

Information on likely routes of ex Ingestion	Expected to be a low ingestion hazard.		
Inhalation		ause headache, fatique, dizziness and nausea. Harmful i	
	inhaled. Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected. Non-irritating based on test data.		
Eye contact	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.		
Symptoms related to the physical, chemical and toxicological characteristics			
Information on toxicological effe	ects		
Acute toxicity	Harmful if inhaled. Narcotic effects. May	cause respiratory irritation.	
Product	Species	Test Results	
NAIC 88494-1 (Wipe) (CAS Mixtur	e)		
Acute			
Dermal LD50	Rat	> 5000 mg/kg, Tested	
	Nat		
Inhalation LC50	Rat	> 2.1 mg/l, Tested	
Oral			
LD50	Rat	> 5000 mg/kg, Tested	
Components	Species	Test Results	
Ethanol (CAS 64-17-5)	-		
Acute			
Dermal	D 11.7		
LD50	Rabbit	> 15800 mg/kg	
Inhalation LC50	Mouro	20 mg// 4 Hours	
LCOU	Mouse	39 mg/l, 4 Hours	
	Rat	31623 ppm, 4 Hours	
		20000 ppm, 10 Hours	
<i>Oral</i> LD50	Dog	5500 mg/kg	
LDOU	Dog	5500 mg/kg	
	Guinea pig	5600 mg/kg	
	Mouse	3450 mg/kg	
	Rat	7060 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temp	orary irritation.	
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to cause s	kin sensitization.	
Germ cell mutagenicity	Non-hazardous by OSHA criteria.		
Carcinogenicity	Non-hazardous by OSHA criteria.		
US. OSHA Specifically Regu Not listed.	lated Substances (29 CFR 1910.1001-1	050)	
Reproductive toxicity	Non-hazardous by OSHA criteria.		
Specific target organ toxicity - single exposure	Respiratory tract irritation. Narcotic effe	cts.	
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not available.		
o	Prolonged inhalation may be harmful.		
Chronic effects	r tolongeu innalation may be narmui.		

microdot[®] Minute Wipe

Section XII - Ecological Information

Ecotoxicity	See below			
Components		Species	Test Results	
Ethanol (CAS 64-17-5)				
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours	
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales prome	elas) > 100 mg/l, 96 hours	
Persistence and degradability	No data is available on the degradability of this product.			
Bioaccumulative potential	No data available.			
Partition coefficient n-octa	nol / water (log	Kow)		
Ethanol		-0.31		
Mobility in soil	No data avail	No data available.		
Mobility in general	Not available	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

Section XIII - Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section XIV - Transport Information

U.S. Department of Transportation (DOT)			
Basic shipping requirements:			
UN number	UN1992		
Proper shipping name	Flammable liquids, toxic, n.o.s. (Ethanol)		
Hazard class	Limited Quantity - US		
Packing group	II		
Special provisions	IB2, T7, TP2, TP13		
Packaging exceptions	<0.3 Gal-Consumer Commodity ORM-D/Limited Quantity		
Packaging non bulk	202		
Packaging bulk	243		

DOT



Section XII - Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed Superfund Amendments and Reauthorization Act of 1986 (SARA) Immediate Hazard - Yes Hazard categories Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely No hazardous substance SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) Food and Drug Not regulated. Administration (FDA) Ethanol is not considered to be a Prop 65 component for this product. The product is not an US state regulations alcoholic beverage for consumption. US - California Hazardous Substances (Director's): Listed substance Ethanol (CAS 64-17-5) Listed. US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Ethanol (CAS 64-17-5) Listed. US - Illinois Chemical Safety Act: Listed substance Ethanol (CAS 64-17-5) Listed. US - Louisiana Spill Reporting: Listed substance Ethanol (CAS 64-17-5) Listed. US - Minnesota Haz Subs: Listed substance Ethanol (CAS 64-17-5) Listed. US - New Jersey RTK - Substances: Listed substance Ethanol (CAS 64-17-5) Listed. US - Texas Effects Screening Levels: Listed substance Ethanol (CAS 64-17-5) Listed. US. Massachusetts RTK - Substance List Ethanol (CAS 64-17-5) l isted US. Pennsylvania RTK - Hazardous Substances Ethanol (CAS 64-17-5) Listed. US. Rhode Island RTK Not regulated.

On inventory (yes/no)* Yes

microdot[®] Minute Wipe

Section XII - Other Information

LEGENDSevere4Serious3Moderate2Slight1Minimal0	HEALTH * 1 FLAMMABILITY 3 PHYSICAL HAZARD 0 PERSONAL PROTECTION X The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	30-June-2015
Further information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Other information	This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).
Prepared by	Cambridge Sensors USA, LLC Phone: 1.877.374.4062

. . . .