

# AREAS OF USE

Schools	Janitorial	Intensive Care Units	Cat. Lab
School Buses	Clinics	Industrial Plants	Nursing Facilities
Day Care	Emergency Medical Settings	Patient Rooms	Health Clubs
Hospital	Kitchens	Newborn Nursery	Anesthesia
Surgery	Physician Offices	Industrial Facilities	Respiratory Therapy
Bathrooms	Emergency Medical Services	Recovery	Other Similar Areas where control of cross-contamination is required
Medical Offices	Veterinary Facilities	Sickrooms	
Exam Rooms	Health Care	Salons	
Musty Closets	Emergency Rooms	X-Ray	
Dental Offices	Commercial	Orthopedics	
Laboratories	Ambulances	Spas	

# TYPES OF SURFACES

Stainless steel	Glass Tables	Razors	Light Fixtures
Counter Tops	Office Machinery	Baskets	Wheel Chairs Walkers
Chairs	Urinals	Exam tables	Clippers
Formica	Supplies	Razor Blades	Switches
Counters	Door Knobs	Wastebaskets	Cutters
Tubs	Basins	Bedside	Cutter Blades
Plastic	Equipment	Combs	Office Furniture
Cabinets	Mirrors	Waste cans	Ambulance Equipment and Surfaces
Sinks	Laundry Hampers	Bed Springs	Operating Room Hard Surfaces
Glass	Carts	Shears	Respiratory and/or Anesthetic Equipment
Tanning Beds (Hard Surfaces)	Cages	Trash Carts	
Toilets	Telephones	Frames	
	Chart racks	Clipper Blades	

# WIPE INGREDIENTS

- + n-Alkyl (68% C12, 32% C14) dimethyl ethyl benzyl ammonium chloride
- + n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride
- + Isopropyl Alcohol
- + Butoxyethanol (Butoxietanol)
- + Citric Acid
- + Triethanolamine 85
- + Nonylphenol Ethoxylate
- + Water

# WIPE KILL TIMES

Microorganism	Kill Time
COVID-19	2 minutes
Staph	2 minutes
Salmonella	2 minutes
E. Coli	2 minutes
Tuberculosis	2 minutes
MRSA	2 minutes
VRE	2 minutes
Hepatitis B	2 minutes
Hepatitis C	2 minutes
Herpes Simplex virus 2	2 minutes
H1N1	2 minutes